

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050017625").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 15:57
L2	1	("20020079827").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 15:57
L3	47	(US-20010011870-\$ or US-20010011871-\$ or US-20010015622-\$ or US-20020063525-\$ or US-20020079827-\$ or US-20030076028-\$ or US-20030098643-\$).did. or (US-3900758-\$ or US-3983445-\$ or US-4233623-\$ or US-4341976-\$ or US-4661743-\$ or US-4692662-\$ or US-4827186-\$ or US-4851734-\$ or US-4920298-\$ or US-5087858-\$ or US-5319282-\$ or US-5343114-\$ or US-5461279-\$ or US-5463276-\$ or US-5479328-\$ or US-5581152-\$ or US-5634836-\$ or US-5818168-\$ or US-5900694-\$ or US-6034470-\$ or US-6232717-\$ or US-6246171-\$ or US-6255782-\$ or US-6285129-\$ or US-6380669-\$ or US-6429461-\$).did. or (US-6441548-\$ or US-6583554-\$ or US-6611094-\$ or US-6621218-\$ or US-6639352-\$ or US-6666992-\$ or US-6674061-\$ or US-6747407-\$ or US-6781309-\$ or US-6781310-\$ or US-6833086-\$ or US-6853124-\$ or US-6858979-\$).did. or (JP-08162069-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2006/01/07 15:59
L4	1	("6674061").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 16:00
L5	1	("20030146699").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 16:01
L6	1	("20020079827").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 16:01
L7	1	("6583554").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 16:01
L8	39	("2901652" "3562737" "3589789" "4206382" "4218632" "4266167" "4565948" "4617195").PN. OR ("4851734").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/07 16:03
L9	16	("4472658" "4617491" "4661743" "5150005" "5172028" "5198723" "5256936" "5270613" "5304895").PN. OR ("5463276").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/07 16:19
L10	1	("5463276").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 16:57

L11	47	(US-20010011870-\$ or US-20010011871-\$ or US-20010015622-\$ or US-20020063525-\$ or US-20020079827-\$ or US-20030076028-\$ or US-20030098643-\$).did. or (US-3900758-\$ or US-3983445-\$ or US-4233623-\$ or US-4341976-\$ or US-4661743-\$ or US-4692662-\$ or US-4827186-\$ or US-4851734-\$ or US-4920298-\$ or US-5087858-\$ or US-5319282-\$ or US-5343114-\$ or US-5461279-\$ or US-5463276-\$ or US-5479328-\$ or US-5581152-\$ or US-5634836-\$ or US-5818168-\$ or US-5900694-\$ or US-6034470-\$ or US-6232717-\$ or US-6246171-\$ or US-6255782-\$ or US-6285129-\$ or US-6380669-\$ or US-6429461-\$).did. or (US-6441548-\$ or US-6583554-\$ or US-6611094-\$ or US-6621218-\$ or US-6639352-\$ or US-6666992-\$ or US-6674061-\$ or US-6747407-\$ or US-6781309-\$ or US-6781310-\$ or US-6833086-\$ or US-6853124-\$ or US-6858979-\$).did. or (JP-08162069-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2006/01/07 16:57
L12	1	11 and (copier)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/07 16:58
L14	60269	("313").CLAS.	US-PGPUB; USPAT	OR	OFF	2006/01/07 16:58
L15	7	14 and ((photocopier) same (fluorescent))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/07 17:18
L16	1	("6611094").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/07 17:19
S1	766	(313/485,487).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/31 13:38
S2	204	S1 and (transmit\$5 transparent transmiss\$3 clear glass) and reflect\$4 and fluorescent	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 15:52
S3	184	S2 and (cathode electrode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 15:52
S4	18	("4389277" "5073743" "5266865" "5343116" "5424857" "5463274" "5525861" "5850122").PN. OR ("6034470").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 15:59

S5	14	("4155024" "4990826" "5276378" "5329203" "5343115" "5726524" "5936347" "5962958" "6031328" "6034470" "6140759" "6215246" "6426590" "6469451").PN. OR ("6583554").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 16:05
S7	14	("4155024" "4990826" "5276378" "5329203" "5343115" "5726524" "5936347" "5962958" "6031328" "6034470" "6140759" "6215246" "6426590" "6469451").PN. OR ("6583554").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 16:20
S8	13	("4389277" "5073743" "5266865" "5319282" "5343116" "5424857" "5463274" "5525861" "5645337" "5850122" "5982090" "6011528" "6034470").PN. OR ("6853124").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 16:28
S9	282	(313/487).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/23 16:28
S10	208	S9 and (cathode anode electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 16:28
S11	137	S10 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 16:32
S12	560	(313/485).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/23 16:32
S13	427	S12 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 16:32
S14	264	S13 and (cathode anode electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 16:32
S15	141	S14 and fluorescent	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 16:40
S16	8773	fluorescent and reflect\$4 and (transmit\$5 transparent transmiss\$3 clear glass) and (cathode electrode anode) and (dielectric insular insulate insulatingly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 16:42
S17	8709	S16 not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 16:42

S18	3762	S17 and plasma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 16:42
S19	1	("20020079827").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/23 16:50
S20	1	("6583554").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/23 16:50
S21	1	("6674061").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/23 16:57
S22	58780	("313").CLAS.	US-PGPUB; USPAT	OR	OFF	2005/07/23 16:57
S23	846	S18 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 16:58
S25	76	S23 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 17:15
S26	281	S23 and (reflect\$4 with substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 17:56
S27	13	S26 and (sensor and lens)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 17:26
S28	2	S13 and (converg\$4 with lens)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 17:16
S29	1	("20050017625").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/23 17:50
S30	25	S1 and fluorescent and (reflect\$4 with substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 18:20
S31	10	S1 and fluorescent and (black same (shield\$4 dielectric))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/23 18:20
S32	1	("20020079827").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/15 14:10
S33	1	("20030146699").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/15 14:11
S34	1	("6674061").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/15 14:11
S35	3	((("4767965") or ("3873870") or ("5341231"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/16 12:41

S36	4	"9202947"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/16 12:41
S41	3924	(313/110,111,112,113,489,635,479,581).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/16 12:43
S42	63	S41 and (((flat planer suface) same fluorescent) and reflect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/16 12:44
S43	4	("3894264" "3931537" "3952221" "4978888").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/16 12:51
S44	5	(("20020079827") or ("20030146699") or ("5742122") or ("6583554") or ("6674061")).PN.	US-PGPUB; USPAT	OR	OFF	2005/10/31 13:39
S45	0	("2003/0146699").URPN.	USPAT	OR	ON	2005/10/31 13:40
S46	14	("4155024" "4990826" "5276378" "5329203" "5343115" "5726524" "5936347" "5962958" "6031328" "6034470" "6140759" "6215246" "6426590" "6469451").PN. OR ("6583554").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/31 13:49
S47	3	(("4767965") or ("3873870") or ("5341231") or ("4767965")).PN.	US-PGPUB; USPAT	OR	OFF	2005/10/31 13:50
S48	4	"9202947"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/31 13:50
S49	1	"08162069"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/31 13:53
S50	1	("20020079827").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/31 13:54
S51	1	("20050017625").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/31 14:02
S52	3407	(313/487,485,491,493,581,582,587).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/31 14:08
S53	39	("2901652" "3562737" "3589789" "4206382" "4218632" "4266167" "4565948" "4617195").PN. OR ("4851734").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/31 14:03
S54	3659	(313/487,485,491,493,581,582,587,573).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/31 15:48
S55	2838	S54 and (cathode electrode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/31 14:09

S56	2435	S55 and (fluorescent phosphor\$7 photo\$luminescent lumines\$5 luminophor\$3 lumino\$4 EL electroluminescence electroluminescent luminescent phosphorescent fluorophor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:19
S57	2154	S56 and ((spacer rib partition rib divider wall side\$wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/31 14:58
S58	2060	S57 and (gas discharge)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/31 15:00
S59	1946	(313/581,582,587,573).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/31 15:48
S60	863	S58 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/31 15:48
S61	29	("3290539" "3678322" "3716742" "3869630" "3896327" "3916393" "3935494" "3953756" "4091305" "4162427" "4233623" "4518894" "4628422").PN. OR ("4827186").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 10:29
S62	15	("4472658" "4617491" "4661743" "5150005" "5172028" "5198723" "5256936" "5270613" "5304895").PN. OR ("5463276").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 11:29
S63	15	("4472658" "4617491" "4661743" "5150005" "5172028" "5198723" "5256936" "5270613" "5304895").PN. OR ("5463276").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 14:18
S64	3325	(250/208.1,235).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/01 14:18
S65	645	S64 and (fluorescent phosphor\$7 photo\$luminescent lumines\$5 luminophor\$3 lumino\$4 EL electroluminescence electroluminescent luminescent phosphorescent fluorophor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:19
S66	343	S65 and (cathode electrode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:19
S67	71	S66 and gas	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:20
S68	3664	(313/487,485,491,493,581,582,587,573).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/01 14:20

S69	2843	S68 and (cathode electrode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:20
S70	2439	S69 and (fluorescent phosphor\$7 photo\$luminescent lumines\$5 luminophor\$3 lumino\$4 EL electroluminescence electroluminescent luminescent phosphorescent fluorophor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:20
S71	2158	S70 and ((spacer rib partition rib divider wall side\$wall bank projection barrier ridge bulk\$head pillar rampart holder ((separat\$3 spacing gap reinforce\$4 support\$3 hold\$3 press\$4) near3 (member structure element means))))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:20
S72	2064	S71 and (gas discharge)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:20
S73	1950	(313/581,582,587,573).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/01 14:20
S74	864	S72 not S73	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:20
S75	70	S67 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:27
S76	1200	S72 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/01 14:28
S77	1163	S76 and gas	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 10:53